DPD - 0902-61

COPY / OF /

USAF Declass/Release Instructions On File

February 8, 1961

File No.: HD-P-159

Subject: FAK Summary - MK I

and MK II

25X1A



Dear Jim:

Enclosed is a summary of our items in the MK I and MK II FAR systems. Each item is checked to show whether it is used in the MK I or MK II system, or a MK I item in the MK II FAK system (refers to note 3. items). Also, all items that we believe to be obsolete are checked, and a reference or reason is given. A few items that we believe should be added to FAK are also listed.

Any comments or suggestions, pertaining to this PAR summary, will be greatly appreciated.

Sincerely,

25X1A



Field Service Administrator

25X1A

PON: hand Enclosure

cc:



| Part Number | Description | | Not | | | |
|-------------|---|--------|----------|-------------|----------|----------------|
| | Description | MK I | 3 | WK ÎÎ | Obsolete | Refer |
| 038-8656 | Source Lamp | | | | | |
| * 151-0018 | Guide-Roller Assembly | X X | | X , | | |
| 151-0046 | Roller Guide Assembly | X | | | | 1.1 |
| 151-0051 | Change Gear Assembly 40T | X | | - | | |
| 151-0052 | Change Gear Assembly 60T | | * | X | | |
| 151-0053 | Change Gear Assembly 80T | X | X | X | | |
| 151-0054 | Change Gear Assembly 96T | X | | X | | |
| 151-0057 | Change Gear Assembly 24T | X | | X | | |
| 151-0058 | Prism Assembly | X | | X | | • * |
| 151-0070 | Band Brake Assembly | X | •• | X | | |
| 151-0077 | Roller and Regular Association | X | X | X | X | S/B T-15 |
| 151-0123 | Roller and Bearing Assembly Dome Assembly | X | | | | |
| | DOME ASSEMBLY | X | X | Not | | |
| 151-0151 | Declaration Association | | | Req'd | | |
| 151-1062 | Desiccator Assembly | X | | X | | |
| 151-1063 | Pawl Ratchet Ratchet | X | X | X | | |
| 151-1066 | | X | | | | |
| 29 | Catch, Sprocket | X | | X | X | S/B T-7, |
| 151-1067 | | | | | | T-17 |
| 2007 | Stop, Ratchet | X | | X | X | S/B T-7 |
| 151-1332 | | | | | | T-17 |
| 151-1359A | Stud, Dome | X | X | X | | , |
| 151-1369 | Spring, Tension Arm | X | | X | | |
| 151-1370 | Vert. Indicator Mask S.W. (.: | 26) X | X | X | | |
| 151-1371 | Vert. Indicator Mask S.W. (.) | L3) X | | | | |
| 151-2157 | Vert. Indicator Mask (.065) | X | | | | |
| 151-2159 | Lamp, Dialight No. 327 (GE) | X | X | x | | |
| 151-2160 | Actuator, Micro JV20 | X | X | X | | |
| 151-2166 | Switch, Micro V3-1 | X | X | X | | |
| 151-2168 | Gasket, O Ring AN 6227-B4 | X | X | X | | |
| 151-2183 | Gasket, O Ring AN6230-B4 | X | X | X | | |
| 151-2188 | Fuse, 4 AMP, Bussman MDL-4 | X | X | X | | |
| 131-2186 | 011, Lubricating, Lehigh Chem | 1. | | | | |
| 151 0100 | L401 | X | X | x | | |
| 151-2189 | Grease, Lubricating, MIL-G-15 | 793 | | | | |
| 151 0100 | Anderol L793 | X | X | x | | |
| 151-2190 | Moly-Z-Powder-Lockrey Co. | X | X | x | | |
| 151-2191 | Methyl Alcohol, C.P. | X | X | X | x | C/P P 0 |
| 151-2192 | Carbon Tetrachloride | X | X | X | A | S/B D-9 |
| 151-2194 | Brush, Cosmetic, Maybelline C | o. X | | 41 | | |
| 151-2195 | Absorbent Cotton Balls, J & J | or | | | | |
| | Red Cross | X | X | X | | |
| 151-2196 | Pipe Cleaners - Dill or U.S. | - | •• | ^ | | |
| 4.00 | Tobacco Co. | X | X | X | | |
| 151-2200 | Tape, Insulating, 3M No. 33 | X | X | X | | |
| 151-2202 | Tape, Masking, 3M No. 202 | X | x | X | | |
| 151-2203 | Sheets, Lens Tissue 9 x 15 No. | | 42 | A | | |
| | 51 | . х | X | X | | |
| 151-2207 | Solder, Kester Rosin Core 16 | AUG. | A | A | | |
| | 60/40 | | | | | |
| 152-1105 | Adapter, Flexible Shaft | X | | | | |
| 152-1229 | Locking Cone, Pot Small alpha | • | | | | |
| 151=2161 | & V/H | x | X | | • | |
| 151-2201 | Switch, Micro | x | X | x | X | Note 1) |
| 151-1061 | Tape, Masking 3M No. 202 | X | X | X | | |
| *~Y_TA0T | Spring, Pawl | ** | | X | | • |
| | | | | | | |

| Part Num | Approved For Repase 2001/08/25 : CIA-RDP Description | | | | | 6. |
|----------------------|--|--------|----------|------------|----------|--------------------|
| 152-1330 | Gear, V/H Pot 22T | _MK_I | <u> </u> | MK II | Obsolete | Refer |
| 152-1334 | Gear, Alpha Pot 45T | X | | | X | Note 1) |
| 152-1341 | Locking Nut, Pot V/H and alpha | X | | | ž | Note 1) |
| 152-1406 | Boot | X | | | X X | Note 1) Note 1) |
| 152-1411 | Friction Inserts (.06) | X | | | X | Note 1) |
| 152-1412 | Friction Inserts (.09) | X | | | X | Note 1) |
| 152-1456 | Socket, Press-to-test AN3157-3 | X | - | | x | Note 1) |
| 152-1459 | Knob-Mode Switch No. 70-4-2G (Raytheon) | X | | | x | Note 1) |
| 152-1461 | Panel, Control | X | X | | X | Note 1) |
| 152-5000 | Motor-power changer No. 5A1219 27V.D.C. | X | | | | |
| 501-0044 | Gear Box Assembly | X | X | X | | |
| 501-0045 | Metering Motor | X | X | X | | |
| 501-0047 | Solenoid | X | | X | | |
| 501-0060 | Scan Motor | X | X | | | |
| 501-1005 501-1028 | Bearing, Ball, New Departure R-3 | X | | X | | |
| 501-1029 | Gasket, O Ring AN6227-B1 | X | | X . | | |
| 501-1029 | Gasket, O Ring MS295-13-123 Relay, Magnecraft 33HSX-89 | X | | X | | |
| 501-1076 | Magnecraft Latching Relay 11LHTX4 | X | | X | | |
| 501-1242 | Ring, Retaining W.K. No. 5108-106 | X X | X | X | | |
| 501-1267 | Relay, Thermal Time Delay | X X | X | X X | | |
| 522-0052 | Clock Heater Assy. | X | X | A | | |
| 522-0054- | | X | X | | | |
| 522-0054- | | X | X | | | |
| 522-0054- | Cam, .024 | X | X | | | |
| 522-0054- | | X | X | | | |
| 522-0054- | Cam, .096 | X | X | | | |
| 522-0054- | | X | X | | | |
| 522-0064 | Lever Metering Sprocket | X | | | x | S/B T-17 |
| 522-0080 | Mini-Joint Universal | X | | | *** | _, |
| 522-1002 | Relay, G.E. | X | X | | | |
| 522-1095 | Cam - 1E Top | X | X | | | |
| 522-1096 522-1097 | Cam - 1E Bottom | X | X | | | |
| 522-1097 | Cam - 4W Top | X | X | | | |
| 522-1099 | Cam - 4W Bottom Cam - 1W - Top | X | X | | | |
| 522-1100 | Cam - 1W - Top Cam - 1W - Bottom | X | X | | | |
| 522-1101 | Cam - 4E - Top | X | X | | | |
| 522-1102 | Cam - 48 - Bottom | X | X | | | |
| 522-1105 | Spring, Ratchet Stop | X X | X | • | | |
| 522-1106 | Spring, Lever Metering | X X | | X X | | |
| 522-1107 | Spring, Lever Metering | X | | X | | |
| 522-1108 | Spring, Sprocket Catch | X | | X | | |
| 522-1113 | Cam - 2B - Top | X | X | • | | |
| 522-1114 | Cam - 2-K-Bottom | X | X | | | |
| 522-1115 | Cam - 2W - Top | X | X | | | |
| 522-1116 | Cam - 2W - Bottom | X | X | | | |
| 522-1117 | Cam - 3B - Top | X | X | | | |
| 522-1118 | Cam - 3E - Bottom | X | X | | | |
| 522-1119 | Cam - 3W - Top | X | X | | | |
| 522-1120 522-1123 | Cam - 3W - Bottom | X | X | | | |
| 522-1123 522-1128 | Cam Switch Delay | X | | X | | |
| 344-1128 | Switch Micro Metering B27RW2TO4 | X | | X | X | S/B T-11 |
| HK731302-9 | Lamp GR 334 | - | | | | T-8 |
| HK731450 | Time Indicator | X | X | X | | |
| | | X | X | | | Modified |
| | | | | | | into 501. |
| | | | | | | LHILLA |

| | | | Note | , | | | | |
|-------------------|--|----|------|----|------|----------|------|-----------|
| Part Number | Description | MK | I 3 | | II . | Obso: | lete | Refer |
| PE-1006 | Ring, Retaining WK #5100-37 | X | | X | 88 | 0,000 | | |
| PE-1007 | Ring, Retaining WK #5133-18 | X | | X | | | | 8 |
| PE-1008 | Ring, Retaining WK #5133-12 | X | | X | | | | |
| PE-1009 | Ring, Retaining WK #X5133-21 | X | | X | | | | |
| PE-1010 | Ring, Retaining WK #5133-25 | X | | X | | | | |
| PE-1011 | Pin Dowel 1/16D x 5/32 Pic D3-156 | X | X | | | | | |
| PE-1012 | Pin Dowel 1/16D x 3/16 Pic D3-187 | X | X | | | | | |
| PE-1013 | Pin Dowel 1/16D x 7/32 Pic D3-218 | X | X | | | | | |
| PE-1014 | Pin Dowel 1/16D x 1/4 Pic D3-250 | X | X | | | | | |
| PE-1015 | Pin Dowel 1/16D x 3/8 Pic D3-375 | X | X | | | | | |
| PE-1016 | Pin Dowel 3/32D x 3/16 Pic D4-187 | Х | X | | | | | |
| PE-1017 | Pin Dowel 3/32D x 7/32 PicD4-218 | X | X | | | | | |
| PE-1018 | Pin Dowel 3/32D x 1/4 Pic D4-250 | X | X | | | | | |
| PE-1019 | Pin Dowel 3/32D x 3/4 Pic D4-750 | X | X | | | | | |
| PE-1020 | Pin Dowel 1/8D x 1/4 Pic D5-250 | X | X | | | | | |
| PE-1021 | Pin Dowel 1/8D x 1/2 Pic D5-500 | X | X | | | | | |
| PB-1023 | Pin, Taper 8/0D x 3/8 Pic C-2-1 | x | X | | | | | |
| PE-1024 | Gasket, O Ring AN 902-63 | X | X | | | | | |
| PE-1029 | Pin, Roll ESNA 59-012-062-0187 | X | X | | | X | | S/B T-14 |
| PE-1047 | Switch, Micro 12TS1-2 | X | - | | | X | • | 3/ D 1-14 |
| PE-1049 | Switch, Micro 1P35 | X | | | | X | | 11 |
| PE-2000 | Bulb, Press to List #313 (GE) | X | | X | | X | | |
| PE-2001 | Bulb, Panel Light AN3140-327 | X | | X | | X | D | lote 162 |
| PE-2002 | Wire, Boot | X | | x | | x | | 18 |
| PE-2003 | Resistor, Motor-No. 5-350 ("Axiohm") | X | | 41 | | X | | 11 |
| PE-2005-1 | Actuator W/JS-5 | x | | X | | A | | |
| PE-2005 | Switch Limit #15M1-Micro | ¥ | | X | | | | |
| PE-2006 | Connector, Power Change #HM4D-LR (Winches- | | | 22 | | | | |
| . 123 | ter) | X | | X | | | | |
| 151-0158 | Clamp Roll Pin Extractor | X | X | × | | Pen1 a | | 500 |
| 4 | | | •• | 47 | | 0116 | ed b | y 522÷ |
| 151-1441 | Fixture Mirror Adjustable | X | X | | | 0110 | | |
| 151-1458 | Fixture, Prism Adjusting | X | X | X | | | | |
| 151-1459 | Wrench, Box Hose Fitting | X | •• | | | | | |
| 151-1472 | Screwdriver Slotted | X | | | | | | |
| 151-1482 | Wrench, Open End 3/8 x 7/16 (Mod.) | X | | | | | | |
| 152-1572 | Tachometer, Assy. | X | | | | | | |
| 152-1573 | Multimeter, Portable W/Case #369 | X | | | | | | |
| 162-0002 | Collimator 100EFL | X | | | | | | |
| 162-0049 | Box, Test Tracking Control | X | | | | X | N | ote 1) |
| 52 2- 0075 | Box, Test MK 1A Tracker | X | X | | | X | | /B T-14 |
| | | | | | | 44 | | P.L. |
| | | | | | | | | -19 |
| 522-0078 | Fixtures, Program Cam | X | X | | | | O1 | -17 |
| 151-0043 | Disc, Clutch Sub Assy. | | | X | | | | |
| 151-0096 | Photocel1 | | | X | | | | |
| 151-0112 | Actuator, Special | X | | X | | Added | to M | R T |
| 151-0122 | Motor, Aperture | | | X | | | CO M | v T |
| 151-0126 | Power Cable | | | X | | | | |
| 151-1034 | Spring | | | X | | | | |
| 151-1068 | Spring, Ratchet Stop | | | X | | x | c | /B T-7 |
| 151-1069 | Spring, Sprocket Catch | | | X | | X | | /B T-7 |
| 151-1097 | Spring, Guide Roller (Left) | | | X | | A | D/ | P 1-1 |
| 151-1160 | Pin, Ball Point | | | X | | | | |
| 151-1161 | Shaft, Cam | | | X | | | | |
| 151-1191 | Spring, Clutch | | | | | | | |
| 151-1192 | Spring | | | X | | | | |
| | - ▼ | | | X | | | | |

| Part Number | Description MK I | MK II | Obsolete | Refer |
|--|--|-------|-------------|-----------|
| 151-1205 | Spring, Ratchet Stop | x | X | S/B T-7 |
| 151-1209 | Spring, Stop | x | X | S/B T-7 |
| 151-1212 | Spring, Guide Roller (Right) | X | • | 3/5 1-/ |
| 151-1233 | Spring, IMC, Lever | X | | • |
| 151-1261-1 | Spring, IMC, Dial | X | | |
| 151-1261-2 | Spring, IMC, Dial | X | | |
| 151-1314 | Spring, Brake Lever | X | | |
| 151-2146 | Capacitor 250 Mfd. 50 VDC Electrolytic | X | | • |
| 151-2148 | Diode, Germanium GE IN93 | | | |
| 151-2152 | Resistor, Variable "Manual" IK | X | | |
| 151-2153 | Resistor, Variable Sensitivity 10K | X | | |
| 151-2158 | Switch, Push Button | X | | |
| 151-2163 | Transistor-2N35 | X | | |
| 151-2167 | Gasket O Ring AN6230 B-24 | X | | |
| 151-2173 | | X | | • |
| 151-2174 | Receptacle, United Carr 99871-C-089 | X | • | |
| 151-2175 | Stud, United Carr, Fl. Hd. 98264-3-280 | X | | |
| | Stud, United Carr, Rd. Hd. 98293-3-280 | X | | |
| 151 - 2176 | Stud, United Carr, W98193-3-280 | X | | |
| 151-2177 | Receptacle, United Carr, 99808 | X | • | |
| 151-2179 | Gasket, 1/8 Dia. Sponge Rubber | X | | |
| 151-2180 | Switch Toggle DPST "Power" | X | | |
| 151-2187 | Gasket, O Ring AN6230-B38 | X | | |
| 151-2197 | Liquid Detergent (Joy) | X | | |
| 151-2198 | "Q" Tips FAK | X | | |
| 151-2204 | Anti-Static Compound, Merix Chemical Co. | X | | |
| 151-2205 | Pliobond | X | | |
| 152-0032 | Dome Assy. | X | | |
| 152-0072 | Drift Grid Assy. | X | | |
| 152-1003 | Lens, Corrector | X | | |
| 152-1062 | Clip, Corrector Lens | X | | • |
| 152-1187 | Tab, Index | X | | • |
| 152-1451 | Socket, Panel Light TT51A | X | x | W-4- 01 |
| 15 2- 1456 | Socket, Press-To-Test, AN3157-3 | X | | Note 2) |
| 152-1459 | Knob, H/Sight Switch No. 70-4-2G(Raytheon) | X | | Note 2) |
| 152-1505 | Solder-Rosin Core 60/40 Alloy, No. 18 SWG. (Keste | r) X | A | Note 2) |
| 500-1008 | Panel, Control | X | x | M-4- 01 |
| 500-1012 | Gear, Nylon Bevel, 32T | X | | Note 2) |
| 500-1030 | Clamp, Synchro | X | | Note 2) |
| 500-1031 | Clip, Pot & Screw No. 4-40 x 3/8 Lg. Fil. HD Scre | w X | | Note 2) |
| 500-1060 | Motor, Tracking | X | | Note 2) |
| 500-1082 | Boot, Rubber | X | | Note 2) |
| 500-1120 | Transmitter, Synchro | X | | Note 2) |
| 500-1121 | Amplifier, Servo | X | | Note 2) |
| 500-1122 | Potentiometer, Trimmed | X | | Note 2) |
| 500-1160 | Cover, Resistor Board | | | Note 2) |
| 500-1187 | Motor, Servo W/Gearhead | X | | Note 2) |
| 500-1195 | Control Transformer | X | | Note 2) |
| 500-1227 | Selector Switch Hind Sight | X | | Note 2) |
| 500-1255 | Switch Selector Mode 4 MK II | X | | Note 2) |
| 500-1268 | Knob Mode Switch | X | | Note 2) |
| 501-0024 | Dome Assembly | X | X | Note 2) |
| 501-0061 | Intervaloneter | X | | - |
| 501-0085 | | X | | |
| 501-0083 | Relay, Polarized, Sigma 6H x 4C | X | | |
| 501-009 6 | Relay, Weston Sensitrol 1085 | X | | |
| 501-1059 | Time, Indicator | X | X | S/B T-10 |
| 501-1060 | Bearing, Fafnir MF5DD-FS6000 | X | | ~\ n T_10 |
| 501-1061 | Pin, United Carr 99785-2 | X | | |
| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | Stud, United Carr 98264-1-100 Approved For Release 2001/08/25 : CIA-RDP67B00511R | | | |
| | | | | |

| Part Number | Approved For Passe 2001/08/25 : CIA | -RDP67B00511 MK I N | 0100090019 013 MK II | 6. Ob solete Refe r |
|------------------|---|------------------------|-------------------------|---|
| 153-1112 | Resistor, 1280 Ohms | | x | |
| 153-1113 | Resistor, Solenoid | | X | |
| 153-1114 | Resistor, 266 Ohms | | X | |
| 153-1115 | Resistor, 280 Ohms | | x | |
| The | e following items should be added to F. | AK. | | |
| 151-2146 | Diode-Germanium | x | | S/B T-8 |
| 522-114 5 | Transistor | X | | S/ B T- 8 |
| 522-0099 | Intervalometer-Electrical | X | | S/B T-14 |
| 522-0098 | Brake Band Assy. | X | X | S/B T-15 |
| 501-1020 | Switch V3-601 | X | X | S/B T-16 |
| 522-0084 | Latch, Scan Sprocket Assy. | X | | S/B T-1 7 |
| 522-00 85 | Lever, Scan Sprocket Assy. | X | | S/B T-17 |
| 522-0 086 | Lever, Metering Sprocket Assy. | X | | S/B T-17 |
| 522-0087 | Latch, Matering Sprocket Assy. | X | | S/B T-17 |
| PE 5100-18 | Retaining ring | X | | S/B T-17 |
| 522-0123 | Light source Assy. | | X | S/B T-18 |
| 501-1105 | Spring, metering cam | X | X | - |
| 522-1177 | Relay-intervalometer | X | | |
| 501-0096 | Timer Assembly | X | | Letter HD-P-15 Modified HK7314 50 |

Note 1) This item is obsolete if the MK I Hand Control is not required.

Note 2) This item is obsolete if the MK II Hand Control is not required.

Note 3) This item appears in the MK II, MK I FAK.